LOGO

Kumoshi elcctric motorcyles are trustworthy.

K2-1214 High-Performance Electric Dirt Bike

MOTORTYPE Mid-driver Motor	**FRAME MATERIAL** Steel Frame
RATED /PEAK POWER 1000W / 3000W	**RANGE** 60KM
CONTROLLER 52V-70AB	**MAX.SPEED** 65KM/H
BATTERY （REMOVABLE) 48V20.8AH LG Battery Cell	**TORQUE** 150N.m
INSTRUMENT K58 Mid-mount Color TFTdisplay	**CHARGER AND CHARGER TIME** 5A CE Certification /6h
BRAKE FORM 2 Piston Cast Iron Disc Brakes	**G.W/N.W** 71KGS / 63KGS
TYRE (FRONT/REAR) Front 60/100-14 Rear 80/100-12	**PACKAGING SIZE** 1380*382*660MM
CLIMBING DEGREE ≥60°	**MAX. LOADING CAPACITY** 150KGS

LOGO

Kumoshi elcctric motorcyles are trustworthy.

G1 High-Performance Electric Dirt Bike

MOTORTYPE Hub Motor	**FRAME MATERIAL** Steel Frame
RATED POWER 180W	**RANGE** 20KM
CONTROLLER 24V-54AB	**MAX.SPEED** 15KM/H
BATTERY （REMOVABLE) 24V7A Lead-acid Battery	**CHARGER AND CHARGER TIME** 5A CE Certification /6h
INSTRUMENT Side -Mounted Color Display	**G.W/N.W** 23KGS / 21KGS
BRAKE FORM Disc Brakes	**PACKAGING SIZE** 880*240*470MM
TYRE (FRONT/REAR) Front 12 *3.0 Rear 12 *3.0	**MAX. LOADING CAPACITY** 50KGS
CLIMBING DEGREE ≥60°	

LOGO

Kumoshi elcctric motorcyles are trustworthy.

T1-1417 High-Performance Electric Dirt Bike

MOTORTYPE Reduction gear motor	**FRAME MATERIAL** Aluminum alloy frame
RATED /PEAK POWER 2500W / 8000W	**RANGE** 60KM
CONTROLLER 52V-80AB	**MAX.SPEED** 75KM/H
BATTERY （REMOVABLE) 60V25AH LG battery cell	**TORQUE** 260N.m
INSTRUMENT K58 mid-mount color TFTdisplay	**CHARGER AND CHARGER TIME** 5A CE Certification /6h
BRAKE FORM 2 Piston Cast Iron Disc Brakes	**G.W/N.W** 59KG /51KG
TYRE (FRONT/REAR) FRONT 70/100-17 REAR 90/100-14	**PACKAGING SIZE** 1380*382*660MM
CLIMBING DEGREE ≥60°	**MAX. LOADING CAPACITY** 150KGS

LOGO

Kumoshi elcctric motorcyles are trustworthy.

X1-1417 High-Performance Electric Dirt Bike

MOTORTYPE Mid-driver Motor	**FRAME MATERIAL** Aluminum Alloy Frame
RATED /PEAK POWER 1000W / 3000W	**RANGE** 50KM
CONTROLLER 52V-70AB	**MAX.SPEED** 60KM/H
BATTERY （REMOVABLE) 48V21AH LG Battery Cell	**TORQUE** 158N.m
INSTRUMENT A908 Mid-mount Color TFTdisplay	**CHARGER AND CHARGER TIME** 5A CE Certification /6h
BRAKE FORM 2 Piston Cast Iron Disc Brakes	**G.W/N.W** 56KGS / 50KGS
TYRE (FRONT/REAR) FRONT 70/100-17 REAR 90/100-14	**PACKAGING SIZE** 1340*330*660MM
CLIMBING DEGREE ≥60°	**MAX. LOADING CAPACITY** 150KGS

LOGO

Kumoshi elcctric motorcyles are trustworthy.

T1-1214 High-Performance Electric Dirt Bike

MOTORTYPE Reduction gear motor	**FRAME MATERIAL** Aluminum alloy frame
RATED /PEAK POWER 2500W / 8000W	**RANGE** 60KM
CONTROLLER 52V-80AB	**MAX.SPEED** 75KM/H
BATTERY （REMOVABLE) 60V25AH LG battery cell	**TORQUE** 260N.m
INSTRUMENT K58 mid-mount color TFTdisplay	**CHARGER AND CHARGER TIME** 5A CE Certification /6h
BRAKE FORM 2 Piston Cast Iron Disc Brakes	**G.W/N.W** 59KG / 51KG
TYRE (FRONT/REAR) FRONT 60/100-14 REAR 80/100-12	**PACKAGING SIZE** 1380*382*660MM
CLIMBING DEGREE ≥60°	**MAX. LOADING CAPACITY** 150KGS

LOGO

Kumoshi elcctric motorcyles are trustworthy.

X1-1214 High-Performance Electric Dirt Bike

MOTORTYPE Mid-driver Motor	**FRAME MATERIAL** Aluminum Alloy Frame
RATED /PEAK POWER 1000W / 3000W	**RANGE** 50KM
CONTROLLER 52V-70AB	**MAX.SPEED** 60KM/H
BATTERY （REMOVABLE) 48V21AH LG Battery Cell	**TORQUE** 158N.m
INSTRUMENT k58 mid-mount color TFTdisplay	**CHARGER AND CHARGER TIME** 5A CE Certification /6h
BRAKE FORM 2 Piston Cast Iron Disc Brakes	**G.W/N.W** 56KGS / 50KGS
TYRE (FRONT/REAR) FRONT 60/100-14 REAR 80/100-12	**PACKAGING SIZE** 1340*330*660MM
CLIMBING DEGREE ≥60°	**MAX. LOADING CAPACITY** 150KGS

LOGO

Kumoshi elcctric motorcyles are trustworthy.

K2-1417 High-Performance Electric Dirt Bike

MOTORTYPE Mid-driver Motor	**FRAME MATERIAL** Steel Frame
RATED /PEAK POWER 2000W / 6000W	**RANGE** 60KM
CONTROLLER 52V-70AB	**MAX.SPEED** 65KM/H
BATTERY （REMOVABLE) 60V25AH LG Battery Cell	**TORQUE** 220N.m
INSTRUMENT K58 Mid-mount Color TFTdisplay	**CHARGER AND CHARGER TIME** 5A CE Certification /6h
BRAKE FORM 2 Piston Cast Iron Disc Brakes	**G.W/N.W** 71KGS / 63KGS
TYRE (FRONT/REAR) Front 70/100-17 Rear 90/100-14	**PACKAGING SIZE** 1380*382*660MM
CLIMBING DEGREE ≥60°	**MAX. LOADING CAPACITY** 150KGS

LOGO

Kumoshi elcctric motorcyles are trustworthy.

K2-1719 High-Performance Electric Dirt Bike

MOTORTYPE Mid-driver Motor	**FRAME MATERIAL** Steel Frame
RATED /PEAK POWER 2000W / 6000W	**RANGE** 60KM
CONTROLLER 52V-70AB	**MAX.SPEED** 70KM/H
BATTERY （REMOVABLE) 60V25AH LG Battery Cell	**TORQUE** 220N.m
INSTRUMENT K58 Mid-mount Color TFTdisplay	**CHARGER AND CHARGER TIME** 5A CE Certification /6h
BRAKE FORM 2 Piston Cast Iron Disc Brakes	**G.W/N.W** 75KGS / 65KGS
TYRE (FRONT/REAR) Front 70/100-19 Rear 90/100-17	**PACKAGING SIZE** 1520*382*760MM
CLIMBING DEGREE ≥60°	**MAX. LOADING CAPACITY** 150KGS